SAFETY DATA SHEET

1. Identification

Product identifier Bel-Ray High Performance Fork Oil 5W

Product Code 99300 **SDS** number 7098

Other means of identification Not available. Recommended use Lubricant **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Bel-Ray Company, LLC

P.O. Box 526

Farmingdale, NJ 07727 United States of America

+1 732 938 2421

CHEMTREC: 800-424-9300 (USA)

CHEMTREC: +1 703-527-3887 (outside USA - call collect)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Aspiration hazard Category 1

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word

Hazard statement May be fatal if swallowed and enters airways.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
White Mineral Oil (petroleum)		8042-47-5	60 - < 70
Distillates (petroleum), Hydrotreated Heavy Paraffinic		64742-54-7	30 - < 40
Other components below reportable levels			1 - < 3

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Material name: Bel-Ray High Performance Fork Oil 5W

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Never give

liquid to an unconscious person.

Most important

symptoms/effects, acute and delayed

Aspiration may cause pulmonary edema and pneumonitis. Irritation of eyes and mucous

membranes. Skin irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Dry chemicals. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

firefighters

Wear suitable protective equipment. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat and sources of ignition. Store in original tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

Material name: Bel-Ray High Performance Fork Oil 5W SDS US 99300 Version #: 2.0 Revision date: 05-14-2016 Print date: 05-14-2016 2/7

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	Form
Distillates (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7)	PEL	5 mg/m3	Mist.
White Mineral Oil (petroleum) (CAS 8042-47-5)	PEL	5 mg/m3	Mist.
US. ACGIH Threshold Limi	t Values		
Components	Туре	Value	Form
White Mineral Oil (petroleum) (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Distillates (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
White Mineral Oil (petroleum) (CAS 8042-47-5)	STEL	10 mg/m3	Mist.
•	TWA	5 mg/m3	Mist.
logical limit values	No biological exposure limits noted f	for the ingredient(s).	

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Oily. Liquid. **Appearance** Physical state Liquid. **Form** Liquid. Color Green. Odor Petroleum Not available. **Odor threshold** Not available. pН Melting point/freezing point Not available.

Initial boiling point and

boiling range

680 °F (360 °C) estimated

Flash point 275.0 °F (135.0 °C) Pensky-Martens Closed Cup

Evaporation rate Not available.

Material name: Bel-Ray High Performance Fork Oil 5W

SDS US 99300 Version #: 2.0 Revision date: 05-14-2016 Print date: 05-14-2016

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Vapor pressure0.13 hPa estimatedDensity859.00 kg/m³Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Negligible
Solubility (other) Oil

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature

500 °F (260 °C) estimated

Decomposition temperature Not available. **Viscosity** Not available.

Other information

Flammability class Combustible IIIB estimated

Flash point class Combustible IIIB

Kinematic viscosity 18.1 mm²/s ASTM D445 (104 °F (40 °C))

Percent volatile 0.02 % estimated

Specific gravity 0.86

VOC 0.02 % estimated

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition Nitrogen oxides (NOx).

products

Nitrogen oxides (NOx). At thermal decomposition temperatures, carbon monoxide and carbon

dioxide.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious

chemical pneumonia.

Symptoms related to the

physical, chemical and toxicological characteristics

Aspiration may cause pulmonary edema and pneumonitis. Irritation of eyes and mucous

membranes. Skin irritation.

Information on toxicological effects

Acute toxicity May be fatal if swallowed and enters airways. Respiratory tract irritation

Product Test Results Species

Bel-Ray High Performance Fork Oil

Acute Oral

LD50 Rat 20202 g/kg estimated

Skin corrosion/irritation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Germ cell mutagenicity Carcinogenicity Based on available data, the classification criteria are not met.

IARC Monographs. Overall Evaluation of Carcinogenicity

MINERAL OILS, HIGHLY-REFINED (CAS 8042-47-5) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Based on available data, the classification criteria are not met. Specific target organ Based on available data, the classification criteria are not met.

toxicity - single exposure

Specific target organ

toxicity - repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard May be fatal if swallowed and enters airways.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product	oduct Species Test Results		Test Results
Bel-Ray High Performa	ance Fork Oil 5W		
Aquatic			
Crustacea	EC50	Daphnia	9898.9902 mg/l, 48 hours estimated
Fish	LC50	Fish	33702.7656 mg/l, 96 hours estimated

^{*} Estimates for product may be based on additional component data not shown.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / Dispose of in accordance with local regulations. Empty containers or liners may retain some product unused products

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

Material name: Bel-Ray High Performance Fork Oil 5W

SDS US 99300 Version #: 2.0 Revision date: 05-14-2016 Print date: 05-14-2016

^{*} Estimates for product may be based on additional component data not shown.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

US federal regulationsThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No

Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Water Act (CWA) Hazardous substance

Section 112(r) (40 CFR

68.130)

Safe Drinking Water Act No.

(SDWA)

Not regulated.

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Distillates (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7)

US. Massachusetts RTK - Substance List

Distillates (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7) White Mineral Oil (petroleum) (CAS 8042-47-5)

US. New Jersey Worker and Community Right-to-Know Act

Distillates (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Distillates (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7) White Mineral Oil (petroleum) (CAS 8042-47-5)

US. California Proposition 65

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No

Material name: Bel-Ray High Performance Fork Oil 5W 99300 Version #: 2.0 Revision date: 05-14-2016 Print date: 05-14-2016

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

16. Other information, including date of preparation or last revision

 Issue date
 04-14-2016

 Revision date
 05-14-2016

Version # 2.0

United States & Puerto Rico

Disclaimer Bel-Ray Company, LLC cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any

process, unless specified in the text.

99300 Version #: 2.0 Revision date: 05-14-2016 Print date: 05-14-2016

Yes